



NORDICTRACTION ***GROUP***

TRACTION CHAINS **FOR DEFENSE / GOVERNMENTAL USE**

CONTENTS

GRIP 5.....	2
RS ARMY 9.....	3
TAPIO-NK9	4
SS-NK 8	5
SS+ 8.....	6
LS+8	7



GRIP 5

Grip 5 chain with diamond pattern delivers outstanding driving characteristics and speed for vehicles operating in challenging on-road and off-road conditions. Lightweight Grip 5 chain is easy and fast to mount on the tire and all the needed joining components are attached on chain.

Compatible vehicles:

- Joint Light Tactical Vehicles / Ultra Light Tactical Vehicles
- HMMWV
- MB G-Class
- Flyer Defence GMV
- Polaris DAGOR A1
- Oshkosh JLTV

Note: if the tire size you need isn't in the list below, contact us for bespoke options.

Tire size	NSN	Reference number
37x12.50R16.5	2540-58-001-1822	127371216A
37x12.50R17	-	-
235/75R15	-	-
215/85R16	2540-58-001-3414	127218516B
225/75R16	-	-
245/75R16	2540-58-001-3416	127266517C
265/75R16	2540-58-001-3421	127257516B
265/65R17	2540-58-001-3416	127266517C
315/70R17	-	127317017

TECH SPECS

Component	Dimension
Wear chain	# 5 mm 13/64 inches
Stud	# 5 mm 13/64 inches
Link	-
Side chain	Ø 5 mm 15/64 inches
Chain mounting	T-Coupler 5
Side chain mounting inside	Inner fastener
Side chain mounting outside	Outer fastener



RS ARMY 9

Studded chain model ideal for vehicles operating in challenging off-road conditions. Diamond patterned chain pattern delivers maximum operating speed and unbeatable grip in every situation.

Compatible vehicles:

- Stryker APC
- Patria AMV
- Heavy-Duty Tactical Trucks (FHTV)
- Oshkosh Medium / Heavy tactical vehicles
- BAE Systems RG vehicles
- MB Actros/Zetros trucks

Note: if the tire size you need isn't in the list below, contact us for bespoke options.



TECH SPECS		
Component	Dimension	
Wear chain	Ø 9 mm	23/64 inches
Stud	Ø 10 mm	25/64 inches
Link	Ø 9 mm	23/64 inches
Side chain	Ø 8 mm	5/16 inches
Chain mounting	# 10 mm	25/64 inches
Side chain mounting inside	Inner fastener	
Side chain mounting outside	Outer fastener	

Tire size	NSN	Reference number
12.00R20		9352161310
14.00R20	2540-58-001-3596	9352162010
14.00R24		9352162410
14.5R20		9352162110
365/80R20	2540-58-001-3597	9352161810
365/85R20		9352161710
395/85R20		9352163910
445/65R22.5	2540-58-001-3560	9352161510





TAPIO-NK 9

Unstudded square link chain option for vehicles operating in all-round off-road and on-road conditions.

Compatible vehicles:

- Stryker APC
- Patria AMV
- Heavy-Duty Tactical Trucks (FHTV)
- Oshkosh Medium / Heavy tactical vehicles
- BAE Systems RG vehicles
- MB Actros/Zetros trucks
- Mid-size loaders and telehandlers

Note: if the tire size you need isn't in the list below, contact us for bespoke options.

Tire size	NSN	Reference number
14.00R20		93558340
16.00R20		93558416
15.5R25		93558340
17.5R25		93558725
20.5R25	2540-58-001-3548	93558525B
23.5R25		93558325
26.5R25		93558625
335/80R20		93558380
365/80R20		93558374
395/85R20		-

TECH SPECS

Component	Dimension
Wear chain	# 9 mm 23/64 inches
Stud	-
Link	Ø 9 mm 23/64 inches
Side chain	Ø 8 mm 5/16 inches
Chain mounting	Ø 11 mm 7/16 inches
Side chain mounting inside	Outer fastener
Side chain mounting outside	Outer fastener



SS-NK 8

Unstudded 8mm square link chain with zigzag pattern. Ideal choice for midsize military trucks and tactical vehicles operating on different road conditions from tarmac to rough gravel roads.

Compatible vehicles:

- MB Actros/Zetros trucks + Unimog
- Patria AMV
- Light Tactical Vehicles
- MAN, DAF, Volvo, Iveco, Scania

Note: if the tire size you need isn't in the list below, contact us for bespoke options.



TECH SPECS		
Component	Dimension	
Wear chain	# 8 mm	5/16 inches
Stud	-	
Link	# 8 mm	5/16 inches
Side chain	Ø 8 mm	5/16 inches
Chain mounting	# 9 mm	23/64 inches
Side chain mounting inside	Inner fastener	
Side chain mounting outside	Outer fastener	

Tire size	NSN	Reference number
14.00R20		93590140
295/70R22.5		93590920
295/80R22.5		93590200
315/70R22.5		93590207
315/80R22.5		93590201
325/95R24	2540-58-001-3409	93590142
335/80R20		-
365/70R22.5		-
385/55R22.5		93590148
385/65R22.5		93590150



SS+ 8

Studded 8mm chain with zigzag pattern. Ideal choice for midsize military trucks and tactical vehicles operating on different road conditions and off-road.

Compatible vehicles:

- MB Actros/Zetros trucks + Unimog
- Light Tactical Vehicles
- MAN, DAF, Volvo, Iveco, Scania

Note: if the tire size you need isn't in the list below, contact us for bespoke options.

Tire size	NSN	Reference number
12.5R20		93573011
14.00R20		93573420
275/80R22.5		93573020
295/70R22.5		-
295/80R22.5		93573120
315/70R22.5		93573013
315/80R22.5	2540-58-001-3423	93573012C
325/95R24		-
335/80R20		-
365/70R22		-
365/80R20		93571365
385/55R22.5		93571393
385/65R22.5		93571391

TECH SPECS

Component	Dimension	
Wear chain	Ø 8 mm	5/16 inches
Stud	Ø 9 mm	23/64 inches
Link	Ø 8 mm	5/16 inches
Side chain	Ø 8 mm	5/16 inches
Chain mounting	Ø 9 mm	23/64 inches
Side chain mounting inside	Inner fastener	
Side chain mounting outside	Outer fastener	

LS+ 8

Studded 8mm ladder-type chain for different midsize military trucks on drive wheel.

Compatible vehicles:

- MB Actros/Zetros trucks + Unimog
- MAN, DAF, Volvo, Iveco, Scania

***Note:** if the tire size you need isn't in the list below, contact us for bespoke options.*



TECH SPECS

Component	Dimension	
Wear chain	Ø 8 mm	5/16 inches
Stud	Ø 9 mm	23/64 inches
Link	-	
Side chain	Ø 8 mm	5/16 inches
Chain mounting	-	
Side chain mounting inside	Inner fastener	
Side chain mounting outside	Outer fastener	

Tire size	NSN	Reference number
12.5R20		93573011
9.00R20		130826
10.00R20		130828
11.00R20		130832
12.00R20		130837
13.00R20		130815
10.00R22		130831
10R22.5		130826
11R22.5		130828
12R22.5		130832
13R22.5		130837
11.00R24		130836
12.00R24		130840
11R24.5		130831
12.00R25		130840
365/80R20		130815
275/70R22.5		130875
275/80R22.5		130828
295/80R22.5		130832
315/60R22.5		130875
315/70R22.5		130831
315/75R22.5		130831
315/80R22.5		130834
385/65R22.5		130814
425/65R22.5		130815
295/75R24.5		130831



Nordic Traction Oy
Hirvikoskentie 128
FI-32200 Finland

+358 207 927 500

NCAGE code: A810G

info@nordictraction.fi

www.nordictractiongroup.com/defense