

Wheeled Vehicles

Durable and Robust Military Tactical Vehicle

The DURO is a highly mobile all-terrain military tactical vehicle. The name DURO stands for DURable and ROBust. Even in the most difficult terrain, the DURO drives safely and reliably in every situation.

With its uniquely designed modular construction, the DURO can be modified in many configurations to accommodate a wide range of applications in a single vehicle.

Through the use of a variety of super-structures, the basic chassis cab is suitable for many missions. These include troop transporter, command and control, logistics or ambulance vehicle.

DURO 4x4





Product Features

| WEIGHTS | | ENGINE | | BASELINE EQUIPMENT |
|--------------------------------------|-------------|--|---|--------------------------------------|
| Ready for operation | 3.6 t | Manufacturer | Steyr Motors | Vehicle information system |
| Max. payload | up to 3.9 t | Type | M14 | |
| Gross vehicle weight | up to 7.5 t | Multi fuel capabiltiy | Yes | OPTIONAL EQUIPMENT |
| | | No. of cylinders | 4 | Winch |
| DIMENSIONS | | Performance | 120 kW | Central tire inflation system (CTIS) |
| Overall length | 6 m | | optional 150 kW | Preheat unit |
| Height | 2.6 m | Emission compliance | EURO III | Runflat tires |
| Overall width | 2 m | | | Cab roof basket |
| Wheelbase | 3.88 m | TRANSMISSION | | Snow chains |
| Ground clearance | 0.36 m | Manufacturer | ZF | Air conditioning system |
| Angle of approach | 50° | Type | 8HP-90 | GPS |
| Angle of departure | 32° | Mode of operation | Automatic | Trailer hitch |
| Number of seats | up to 16 | Number of gears | 8 | Trailer air brake system |
| | | | | Helicopter lifting devices |
| VEHICLE PERFORMANCE | | DRIVELINE AND SUSPENSION | | Various shelter mission kits |
| Max Speed | 100 km/h | Wheel drive | Permanent, four wheel | |
| Gradient | 60% | Differential Torsen | Torsen, self locking | |
| Vertical obstacle | 0.4 m | De-Dion axles with wheel hub gear, patented roll stabilizers | | |
| Turning circle diameter wall to wall | 15 m | Brakes | Air over hydraulic disc type | |
| Fuel tank capacity | 120 l | | with ABS | |
| Range on hard level surface | 700 km | | optional ESP, ASR | |
| | | Steering | Hydraulically power assisted | |
| | | Tires | 275 / 80 R 20 optional 335 / 80 R 20 | |

Please note that the technical data refer to the baseline vehicle. They might vary due to configuration, version and mission.

GENERAL DYNAMICS
European Land Systems

General Dynamics
European Land Systems-Mowag GmbH
Unterseestrasse 65
8280 Kreuzlingen, Switzerland
Tel. +41 (0) 71 677 55 00
Fax +41 (0) 71 672 28 86
info.wheeledvehicles@gdels.com
www.gdels.com

© All company names and logos are copyright protected

The Company reserves the right to modify details, design and building methods in order to comply with the latest technical innovations.